UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/579,561	03/02/2007	Maurizio Marchini	07040.0261-00000	8384
22852 7590 06/28/2011 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER LLP			EXAMINER	
			ROGERS, MARTIN K	
901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413			ART UNIT	PAPER NUMBER
			1747	
			MAIL DATE	DELIVERY MODE
			06/28/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/579,561	MARCHINI ET AL.			
Office Action Summary	Examiner	Art Unit			
	MARTIN ROGERS	1747			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	ely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>08 June 2011</u> . This action is FINAL . 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ✓ Claim(s) <u>48-69</u> is/are pending in the application 4a) Of the above claim(s) <u>50,53,54,66 and 67</u> is 5) ☐ Claim(s) is/are allowed. 6) ✓ Claim(s) <u>48, 49, 51, 52, 55-65, 68, and 69</u> is/ar 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	s/are withdrawn from considerations	on.			
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the confidence of the c	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been received u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s) A cit Date S. Patent and Trademark Office	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P	ite			

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 48, 49, 51, 52, 55-65, 68, and 69 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In regards to claim 48, Applicant amended the language of the claim to require that the protruding elements lie "in a plane." Each protruding element defines its own plane. Therefore, if there are multiple protruding elements, it is unclear how these elements can all be considered to occupy a single plane. Based on Figure 1 of the specification of the present application, for purposes of examination, the examiner has assumed that Applicant intended to require that each of the protrusions defines a plane and that each of these individual, respective planes are perpendicular to the equatorially bisecting plane of the tire core.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/579,561

Art Unit: 1747

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Page 3

2. Claims 48, 49, 51, 52, 55-58, 61, 63-64 are rejected under 35 U.S.C. 103(a) as being unpatentable over Caretta et al. (EP 0976534) in view of Scarzello et al. (WO 01/62480), Holroyd et al. (USP 5201975), and Roy et al. (USP 4382757).

In regards to claim 48, Caretta discloses a process for manufacturing a tire (Abstract) in which an elastomeric layer is provided on the outer surface of a toroidal support, the shape of the toroidal support's surface matching the shape of the inner surface of the tire ([0045-0046]). A tire is assembled on the elastomeric layer ([0046]) and introduced into a molding cavity with walls that match the desired shape of the outer surface of the tire ([0013]) such that a working fluid presses the inner surface of the green tire by being admitted to a gap between the tire and toroidal support ([0013]). Before admitting the working fluid to the gap, the elastomer needs to be cured by

applying heat ([0079]). Caretta does not utilize a toroidal support with internal protruding elements.

Page 4

However. Caretta discloses that the use of electric resistors to heat the toroidal support is merely exemplary and further suggests to one of ordinary skill in the art that any well known method of heating the surface of the toroidal support would be suitable for the invention. Scarzello discloses that one of ordinary skill would appreciate that the use of steam is well known for heating a toroidal support (Page 9, line 34 through Page 10, line 4). Additionally, Holroyd discloses that one of ordinary skill would appreciate that electrical heating and steam heating are functionally equivalent for providing curing heat to a tire curing surface (Column 2, lines 42-43). Therefore, one of ordinary skill in the art would have found it obvious to use steam to heat the toroidal support of Caretta during the elastomer precuring operation because this is a well known heating method suitable for performing this heating step (as disclosed by Scarzello and Holroyd) and additionally because it is functionally equivalent to using electric heating (as disclosed by Holroyd). The examiner notes that although Scarzello lists the interior surface of the support as being labeled 14 in the cited paragraph, this is a clerical error. The interior surface of the toroidal support (which is in contact with the steam) is supposed to have been labeled 15, as evidenced by Page 9, lines 20-25 of Scarzello.

Roy discloses that when using steam to heat the exterior surface of an enclosed space, it is beneficial to provide protruding fins on the interior surface which is in contact with the steam for the benefit of increasing the heat-transfer from the steam (Column 4, lines 50-60). One of ordinary skill would have appreciated that increased heat transfer

decreases the required heating time and therefore increases the production efficiency of the process. Therefore, one of ordinary skill in the art at the time of the invention would have found it obvious to provide protrusions on the interior surface of the toroidal support of the above combination of references for the benefit of increasing heat transfer through the toroidal support (as disclosed by Roy).

Although the combination of references does not disclose that the fins be arranged in the specific orientation required by the claim, it is the examiner's position that there are a very limited number of ways in which fins can be provided to the interior of a tire core. They can either be parallel to the equatorial bisecting line, perpendicular to the equatorial bisecting line, or biased to the equatorial bisecting line. By virtue of the limited number possibilities, a skilled artisan would have found it obvious to orient the fins perpendicularly. The examiner wishes to note that a skilled artisan would have found it obvious to provide fins to the interior of the core anywhere where curing of a tire takes place (which includes the crown) in order to provide additional heat transfer in this region and expedite the curing process.

In regard to claim 49, Roy further discloses that the protrusions be in the form of fins (elongated ribs) (Column 4, line 53).

In regards to claim 51, Roy further discloses that the protrusions extended perpendicularly from the surface of the wall which is in contact with the steam. One

applying the teachings of Roy to the toroidal structure of the combination of references would therefore find it obvious to use inwardly protruding ribs.

In regards to claim 52, Roy further discloses that the ribs are obtained in a thickness of the wall material (Figure 8: 79).

In regards to claims 55 and 56, Caretta further suggests to a skilled artisan that any sequence of steps which allows the tire inner liner to be cured before admission of the working fluid to the gap between the tire and toroidal support would be suitable for the invention ([0079]). It is considered well within the ability of one of ordinary skill in the art to determine a suitable time to perform the pre-curing, providing the precuring occurs at some time prior to the final curing the tire.

In regards to claim 57, Caretta further discloses introducing the working fluid into a diffusion gap ([0013]).

In regards to claim 58, Caretta further discloses that the inner surface of the tire is cured by heating the toroidal support to a predetermined temperature ([0047] and [0077]).

In regards to claim 61 and 63, it is the examiner's position that the pressure used to press on the inner surface of the tire will depend on the size, shape, and composition

of the tire as well as the thickness, temperature, and material used for the molding surface. The working conditions of the pressure-applying step would have been optimized by a skilled artisan to achieve a desired result, namely sufficient and uniform curing of the specific tire used within a desired timeframe and at a desired curing temperature.

In regards to claim 64, Caretta further discloses using steam as the primary working fluid ([0082]). It is the examiner's position that a skilled artisan would appreciate that the temperature of the working fluid needs to be adjusted based on the size, composition, and shape of the tire. The working conditions of the heat-applying step would have been optimized by a skilled artisan to achieve a desired result, namely sufficient and uniform curing of the specific tire used within a desired timeframe.

In regards to claim 65, Caretta further discloses the use of steam.

Claims 59, 60, 62 and 68 are rejected under 35 U.S.C. 103(a) as being unpatentable over the previous combination of Caretta et al. (EP 0976534) in view of Scarzello et al. (WO 01/62480), Holroyd et al. (USP 5201975), and Roy et al. (USP 4382757) as applied to claim 48 above, and further in view of Midgley et al. (USP 1394928).

In regards to claim 59, Caretta does not disclose pressing the tire against the heated toroidal surface with a secondary working fluid.

Midgley discloses curing the interior of a green tire on a heated rigid support (page 2, lines 99-102). Midgley discloses that skilled artisan would consider it to be functionally equivalent to either heat the tire structure in open air or under an applied fluid pressure (Page 2, lines 15-35). Midgley discloses that compressing the carcass against the rigid support during pre-curing has the additional benefit of creating a more uniform product (Page 1, lines 79-84 and 94-101) (Page 2, line 129 though Page 3, line 2). Therefore, one of ordinary skill in the art at the time of the invention would have found it obvious to perform the inner liner pre-curing on the heated supported required by the previous combination during pressing on the exterior surface with a working fluid because this is functionally equivalent to curing in an open air environment (as disclosed by Midgley). One of ordinary skill would have been further motivated to utilize a working fluid to press the tire against the curing surface for the additional benefit of ensuring the uniformity of the product (as disclosed by Midgley).

In regards to claims 60 and 62, it is the examiner's position that the pressure used to press on the outer surface of the tire will depend on the size, shape, and composition of the tire as well as the thickness, temperature, and material used for the rigid support. The working conditions of the pressure-applying step would have been optimized through routine experimentation by a skilled artisan in order to achieve a

desired result, namely sufficient and uniform curing of the specific tire used within a desired timeframe and at a desired curing temperature.

In regards to claim 68, Midgley further discloses that the pressing occurs simultaneously with the heating (Page 2, lines 15-35).

Claim 69 is rejected under 35 U.S.C. 103(a) as being unpatentable over the previous combination of Caretta et al. (EP 0976534) in view of Scarzello et al. (WO 01/62480), Holroyd et al. (USP 5201975), and Roy et al. (USP 4382757) as applied to claim 48 above, and further in view of Smith et al. (USP 5937517).

In regards to claim 69, Roy does not disclose how the integral fins are created, suggesting to one of ordinary skill in the art that any well known method for creating heat transfer fins would be suitable.

Smith discloses that it is well known in the art to create heat transfer fins by milling (Column 5, line 61). Therefore, one of ordinary skill in the art at the time of the invention would have found it obvious to create the heat transfer fins by milling because this is a well known method of creating integral fins in a material (as disclosed by Smith).

Application/Control Number: 10/579,561 Page 10

Art Unit: 1747

Response to Arguments

3. Applicant's arguments with respect to claims 48, 49, 51, 52, 55-65, 68, and 69 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARTIN ROGERS whose telephone number is (571)270-7002. The examiner can normally be reached on Monday through Friday, 9:00 to 5:30.

Application/Control Number: 10/579,561 Page 11

Art Unit: 1747

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on 571-272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Martin Rogers/

/Richard Crispino/ Supervisory Patent Examiner, Art Unit 1747